

## This Issue

- 1 Controlled Substance Utilization Review and Evaluation System: A Tool for Judicious Prescribing
- 3 Figure 1. Percent of Prescription Drugs Dispensed in LA County, 2012
- 4 Figure 2. Percent of Opioid Prescriptions Issued by Prescribers, LA County, 2012
- 4 Table 1. Opioid Prescriptions per Patient among Doctor Shoppers vs. Non-Doctor Shoppers in LA County, 2012
- 4 Table 2. Extreme Cases of Opioid Prescriptions Filled in LA County, 2012
- 7 CURES/PDMP Frequently Asked Questions
- 8 Upcoming Training
- 8 Index of Disease Reporting Forms

## Controlled Substance Utilization Review and Evaluation System A Tool for Judicious Prescribing

Tina Kim, PhD

Mike Small

Catherine Hwang

Shantel Muldrew, MPH

The misuse, abuse, and diversion of prescription drugs has evolved into a very serious public health and public safety problem in the United States. Drug diversion is when a drug leaves legitimate medical practice, such as a patient giving away or selling the medication.<sup>1</sup> Results from the 2012 National Survey on Drug Use and Health indicate that approximately 15.7 million individuals aged 12 years or older have used prescription drugs non-medically within the past year, and 6.7 million have used these drugs non-medically within the past month.<sup>2</sup> In 2013, the “Monitoring the Future” survey found that among the top 10 substances abused by 12th-graders, 6 of them were pharmaceuticals (i.e., Adderall, Vicodin, OxyContin, cough medicine, tranquilizers, and sedatives).<sup>3</sup> Abuse and diversion of prescription opioids are of particular concern, as they now account for more than 75% of all pharmaceutical overdose deaths nationally<sup>4</sup> and claim more than 400 lives each year in LA County.<sup>5</sup>

Most prescription drugs associated with overdose deaths are prescribed by physicians, not purchased online or stolen from pharmacies. The practice of “doctor shopping,” in which individuals obtain multiple prescriptions from multiple prescribers, is a known major contributor to prescription drug, especially opioid, abuse or diversion. Therefore, growing attention has been directed toward identifying doctor-shopping behavior and preventing controlled substance diversion at the point of patient care.<sup>6</sup> Most states have established prescription drug monitoring programs (PDMPs) to track and monitor the prescribing of controlled substances and to detect patterns of abuse and diversion. PDMPs collect data from pharmacies on dispensed controlled-substance prescriptions and make this information available to authorized users through secure electronic databases. Currently, 49 states and 1 U.S. territory have enacted legislation to develop PDMPs, and 47 states have operational PDMPs.<sup>7,8</sup>

### The CURES/PDMP Program

California’s PDMP, known as the Controlled Substance Utilization Review and

*continued on page 2 >*

## CURES/PDMP Functions

- Improve patient care.
- Avoid drug interactions.
- Warn about drug epidemics.
- Investigate drug diversion.
- Assist in establishing regulatory policies.
- Identify and prevent “doctor shopping.”
- Identify clinicians with inappropriate prescribing or dispensing behavior.



Evaluation System (CURES), is an electronic database designed to monitor the prescribing and dispensing of Schedule II through IV controlled prescriptions. In 1998, CURES replaced the California Triplicate Prescription Program, which at the time was the nation's oldest PDMP (created in 1939). In 2009, the California Department of Justice (DOJ) instituted a web-based PDMP, a searchable database component of CURES, which has subsequently been referred to as "CURES/PDMP."

CURES/PDMP allows pre-registered users (e.g., licensed prescribers, pharmacists, law enforcement, and medical regulatory boards) at the point of care to quickly review patient controlled-substance history information via automated Patient Activity Reports, or PARs. In addition to helping prescribers make better prescribing decisions, CURES/PDMP enables registered users to identify and assist patients who may be abusing controlled substances (Box 1). It can also assist law enforcement agencies and regulatory boards to identify patterns of activity that are suggestive of prescription drug diversion as well as inappropriate prescribing and dispensing practices, such as prescription fraud and forgeries.<sup>9</sup> CURES/PDMP may be readily incorporated into clinical practice as part of a comprehensive prescription drug abuse prevention strategy.

### Findings from the CURES/PDMP Data Analysis

In 2012, nearly 10 million controlled substance prescriptions (Schedules II-IV) were written in Los Angeles County. Among these, more than 4 million prescriptions were for opioids. Hydrocodone was the most frequently prescribed opioid (67.0%), followed by oxycodone (10.8%), codeine (10.6%), morphine (3.9%), and fentanyl (2.1%) (Figure 1). For this article, we focused our analyses on opioid prescriptions dispensed in Los Angeles County, as this drug class is commonly abused and diverted and poses a high risk for adverse health outcomes and death.

In 2012, approximately 4.1 million opioid prescriptions were prescribed by 55,819 unique prescribers for about 1.5 million unique patients at 4,621 unique pharmacies. On average, each patient obtained 2.70 opioid prescriptions (SD=4.06; range: 1 to 203) from 1.32 prescribers (SD=0.88; range: 1 to 79) and 1.13 pharmacies (SD=0.45; range: 1 to 32). Of the patients who filled opioid prescriptions, 58% were female, and 60% were older than 45 years of age. The top 24.5% of prescribers were responsible for 90.9% of all opioid prescriptions dispensed in 2012 (Figure 2).

Consistent with the scientific literature, doctor shopping in this analysis was defined as obtaining opioid prescriptions from 4 or more prescribers and from 4 or more pharmacies in 2012.<sup>10</sup> According to 2012 CURES data, there were 5,153 (0.3%) patients in Los Angeles County who met these criteria. Doctor shoppers were most common in Service Planning Area (SPA) 1-Antelope Valley (76 per 100,000 population) and SPA 6-South (62 per 100,000 population). Compared to non-doctor shoppers, doctor shoppers were more likely to be 35-64 years of age, use long-acting opioids, use higher total daily drug doses, and use oxycodone, morphine, and fentanyl. In addition, doctor shoppers obtained a significantly greater number of pills and prescriptions, procured more days of supply, and had higher morphine equivalent doses (MED) per patient compared to non-doctor shoppers (Table 1). Some extreme cases were identified among doctor shoppers, as shown in Table 2. However, because the CURES/PDMP data system does not collect information about prescribers' specialties or patients' medical conditions, these results need to be interpreted with caution.

### CURES/PDMP Enrollment and Utilization


Available evidence suggests that PDMPs can be an effective tool for reducing doctor shopping, improving clinical decision-making, changing prescribing behavior, and supporting

#### Box 1. Examples of Potential Problem Behaviors that Can Be Identified with CURES/PDMP

<b>Patient Information</b>	<ul style="list-style-type: none"> <li>• Multiple similarly spelled names</li> <li>• Multiple addresses (e.g., different cities)</li> </ul>
<b>Prescription Information</b>	<ul style="list-style-type: none"> <li>• Filling prescriptions more frequently than clinically indicated</li> <li>• Duplicate prescriptions (same drug class in same time frame)</li> <li>• Filling for large quantities and/or high strengths or dose escalation</li> </ul>
<b>Pharmacy Information</b>	<ul style="list-style-type: none"> <li>• Multiple pharmacies, especially for same drug</li> </ul>
<b>Prescriber Information</b>	<ul style="list-style-type: none"> <li>• Multiple prescribers, especially for same drug</li> <li>• Prescriptions under your name that you did not prescribe</li> </ul>

Reproduced with permission from Judith Martin and Michelle Geier. The table was presented at the CADPAAC meeting, Sacramento, January 30, 2014.

**Figure 1. Percent of Prescription Drugs (Schedule II-IV) Dispensed in Los Angeles County, 2012 (N=9,763,887)**



## The Los Angeles County Department of Public Health strongly urges all physicians and pharmacists to register with CURES and routinely check Patient Activity Reports.

other efforts to curb prescription drug abuse.<sup>11</sup> Despite the effectiveness of PDMPs, California's CURES/PDMP system remains a substantially under-utilized resource.

In California, 20,847 prescribers and pharmacists are currently registered users of the CURES/PDMP system, which represent 9.8% of the total number (212,600) of licensed prescribers and pharmacists in the state. In Los Angeles County, among 80,000 licensed prescribers and pharmacists, only about 5,000 (6%) are currently registered with CURES/PDMP.

The normal application process to the CURES/PDMP system is described in Box 2. The application process and notarization requirements may present an obstacle for enrollment for busy practitioners. To address these obstacles, the DOJ proactively conducts recruitment outreach campaigns to raise awareness of CURES and to enroll participants in the system. In lieu of the standard application and notarization processes, DOJ staff can be requested to travel to and personally accept applications at local outreach events (e.g., conferences, meetings) or at facilities (e.g., hospitals, pharmacies) that are able to collect at least 20 completed applications (Box 2).

In view of enrollment challenges with the current CURES/PDMP system, the Budget Act of 2013 authorized funding for a new CURES 2.0 system to improve system accessibility and streamline the registration process. The new system should relieve many of the existing impediments to registration.<sup>12</sup> Further, a recently enacted senate bill (SB 809, Chapter 400, Statutes of 2013, DeSaulnier) requires all health care practitioners authorized to prescribe, order, administer, furnish, or dispense Schedule II-IV controlled substances to submit an application in order to gain approval for accessing online CURES information.


Although the bill does not require CURES registrants to use the system, routinely checking CURES Patient Activity Reports at the point of patient care will help prescribers detect and prevent doctor-shopper behavior which, in turn, will improve patient outcomes. Information on individual patients' prescription history for controlled substances may be obtained via automated CURES PARs at the DOJ website. See Box 3 for detailed information about how to request a CURES PAR, and Box 4 for a sample PAR. According to the current manager of the CURES database, CURES data presents such valuable patient prescription acquisition history that, as the anticipated new CURES system dramatically improves accessibility, checking CURES may very well become a medical standard of care and render a government mandate unnecessary.

### Using Patient Activity Reports as a Clinical Tool

Patient Activity Reports allow prescribers and pharmacists to review a patient's controlled-substance prescription history to assess, identify, and prevent prescription drug abuse and

*continued on page 5 >*

**Figure 2. Percent of Opioid Prescriptions Issued by Prescribers, Los Angeles County, 2012** (N=4,142,662)



**Table 1. Opioid Prescriptions per Patient among Doctor Shoppers vs. Non-Doctor Shoppers in Los Angeles County, 2012**

Per Patient	Doctor Shoppers	Non-doctor Shoppers
Number of Pills	1,017.9	159.6
Number of Prescriptions	15.6	2.7
Days of Supply	239.8	40.2
Morphine Equivalent Doses	946.2	157.3

**Table 2. Extreme Cases of Opioid Prescriptions Filled in Los Angeles County, 2012**

Patient with...	Value	Gender	Age
Highest number of opioid prescriptions	203	Male	44
Highest number of prescribers	79	Male/Female	48/40
Highest number of pharmacies	32	Male	33
Highest number of opioid pills	30,000	Unknown	Unknown
Highest opioid dosage per day (MED)	157,377	Unknown	Unknown

## Box 2. How to Obtain Access to CURES/PDMP

### Step 1. Register online.

Submit the online application on the California Department of Justice website at <https://pmp.doj.ca.gov/pmpreg>. Select “Practitioner” or “Pharmacist” as appropriate on the application and fill out all required fields.

### Step 2. Print application.

After completing the online registration, print your registration confirmation immediately. You will also receive an e-mail verification immediately after completing the online application. You must respond to this e-mail within 72 hours.

### Step 3. Compile your application package by attaching the following to your CURES confirmation page:

- a. A copy of your Drug Enforcement Administration (DEA) Controlled Substances Registration Certificate
- b. A copy of your State Medical License or State Pharmacy License
- c. A copy of a government-issued identification.

### Step 4. Have your entire application package notarized.

You will sign/date your application before the notary public.

### Step 5. Submit your notarized application package to:

California Department of Justice  
CURES/PDMP  
P.O. Box 160447  
Sacramento, CA 95816

The application process will take at least 8 weeks. If you don't hear from the DOJ after 8 weeks, please do not hesitate to direct questions to the CURES Program at

Phone: (916) 227-3843  
FAX: (916) 227-4589  
E-mail: PMP@doj.ca.gov

**Note:** For outreach events, you can skip Steps 4 and 5. Bring your signed/dated application package to the event and turn it in to the DOJ staff member. Contact CURES Manager Tina Farales at [tina.farales@doj.ca.gov](mailto:tina.farales@doj.ca.gov) to schedule a CURES sign-up event.

diversion. For the past 4 years, the Addiction Psychiatry Fellowship at Cedars-Sinai Medical Center has included PARs as a key tool in clinical training. During an interview, Dr. Jeffery Wilkins, who directs the program, stressed that physicians have the potential to play a very important role in preventing overdose deaths with the aid of PARs, stating that “PARs generate opportunities to have supportive discussions with patients, as well as informative and often eye-opening discussions with other physicians and prescribers involved in a patient’s care.” He also indicated that in 2013, a large majority of patients with prescription opioid problems at Cedars-Sinai Medical Center were female and over 45 years of age, which is consistent with local and national trends.

*Dr. Wilkins recommended that physicians consider the following key questions when they review PARs:*

1. Is my patient’s pattern of obtaining controlled substance prescriptions consistent with my goals for the patient?
2. Has my patient sought controlled substance prescription from other physicians?

3. Does my patient’s controlled substance history contain other prescriptions that may interact with medications I am prescribing or am considering?
4. If I detect an early pattern that may be indicative of over-utilization, is there an opportunity for me to intervene before clinical problems arise?
5. If I detect signs and symptoms of excessive medication use (e.g., apparent intoxication, difficulty staying awake, slurred speech), is there an opportunity for me to lessen the severity of symptoms and facilitate recovery?

Health care practitioners can play a significant role in addressing the prescription drug abuse epidemic in Los Angeles County. Their enrollment in and use of CURES/PDMP is a key step to ensure safe prescribing and appropriate dispensing, as well as to reduce diversion and abuse of controlled substances.

### Box 3. How to Request a CURES Patient Activity Report

#### Step 1. Log In

- Go to the PDMP website at <https://pmp.doj.ca.gov/pdmp/index.do>. Or do a Google search for "CURES Login."
- Enter Username and the Password and Click the "Login" button.

#### Step 2. Locate Patient Activity Report (PAR)

- The Login will open to the "Welcome to the PDMP Application" screen.
- Click on the "Patient Activity Report" (PAR) link on the left of the screen.

#### Step 3. Enter the Patient Information

- Enter the patient's last name, first initial, and date of birth (mm/dd/yyyy).

- Click on the drop down tab in the "Period in Months" and select 12 months.
- Certify Search and Click on the SEARCH button.

#### Step 4. Generate Report

- Check all boxes with matching patient names you are searching. You may be surprised how many boxes you will need to check if your patient is a frequent user.
- Click the GENERATE REPORT button.
- Scroll down and click the VIEW/PRINT CONSOLIDATED REPORT button.
- The PAR will display on a consolidated page or set of pages listing the prescription history of the patient requested.

### Box 4. Sample Patient Activity Report from the CURES Database



Department of Justice - Bureau of Narcotic Enforcement  
Controlled Substance Utilization Review & Evaluation System

01/17/2013 11:19

CONFIDENTIAL  
DOCUMENT

PATIENT/CLIENT ACTIVITY: CONSOLIDATED REPORT

#### Prescription Drug Transaction Details:

Number of Hits: 9				Start Date: 01/17/2012				End Date: 01/17/2013							
Date Filled	First Name	Last Name	DOB	Address	Drug Name	Form	Str	Qty	PHY Name	PHY#	Dr.'s DEA #	Dr.'s Name	RX#	Refill#	
01/20/2012	JOHN	DOE	05/23/1980	2560 COLLEGE WAY, SACRAMENTO, CA, 95821	VICODIN	TAB	1000 MG-5 MG	10	WALGREENS #610	PHY12345	AB5678909	SMITH, JOHN	02345678	3	
1/23/2012	JOHN	DOE	05/23/1980	2560 COLLEGE WAY, SACRAMENTO, CA, 95821	APAPHYDROCODONE BITARTRATE	TAB	500 MG-5 MG	40	CVS/PHARMACY #110	PHY12345	AB5678909	SMITH, JOHN	02375678	1	
02/01/2012	JOHN	DOE	05/23/1980	2560 COLLEGE WAY, SACRAMENTO, CA, 95821	XANAX	TAB	100 MG-5 MG	60	WAL-MART #928	PHY12345	AB5678909	SMITH, JOHN	00284920	1	
02/04/2012	JOHN	DOE	05/23/1980	2560 COLLEGE WAY, SACRAMENTO, CA, 95821	VICODIN	TAB	200 MG-5 MG	60	TARGET #261	PHY12345	AB5678909	SMITH, JOHN	08244920	2	
03/01/2012	JOHN	DOE	05/23/1980	2560 COLLEGE WAY, SACRAMENTO, CA, 95821	APAPHYDROCODONE BITARTRATE	TAB	500 MG-5 MG	60	WALGREENS #100	PHY12345	AB5678909	SMITH, JOHN	04247860	4	
03/08/2012	JOHN	DOE	05/23/1980	2560 COLLEGE WAY, SACRAMENTO, CA, 95821	XANAX	TAB	500 MG-5 MG	80	CVS/PHARMACY	PHY12345	AB5678909	SMITH, JOHN	02434960	1	
03/07/2012	JOHN	DOE	05/23/1980	2560 COLLEGE WAY, SACRAMENTO, CA, 95821	APAPHYDROCODONE BITARTRATE	TAB	500 MG-5 MG	60	WALGREENS	PHY12345	AB5678909	SMITH, JOHN	02795765	1	
03/10/2012	JOHN	DOE	05/23/1980	2560 COLLEGE WAY, SACRAMENTO, CA, 95821	APAPHYDROCODONE BITARTRATE	TAB	500 MG-5 MG	80	CVS/PHARMACY #934	PHY12345	AB5678909	SMITH, JOHN	02549607	2	
01/01/2013	JOHN	DOE	05/23/1980	2560 COLLEGE WAY, SACRAMENTO, CA, 95821	VICODIN	TAB	1000 MG-5 MG	30	TARGET #234	PHY12345	AB5678909	SMITH, JOHN	02648603	3	

Disclaimer: The Patient Activity Report (PAR) is compiled from information maintained in the Department of Justice's Controlled Substance Utilization Review and Evaluation System (CURES). The CURES maintains Schedule II, Schedule III and Schedule IV prescription information that is received from California Pharmacies and is therefore only as accurate as the information provided by the Pharmacies. If data was submitted with errors or have unknowns within a field, it will not be displayed within this report.

Tina Kim, PhD is a Chief, Epidemiology and Science Division; Catherine Hwang is an MSPH Candidate at Johns Hopkins and former Epi Scholar; and Shantel Muldrew, MPH, is a Research Analyst, Substance Abuse Prevention and Control, Los Angeles County Department of Public Health. Mike Small is the CURES/PDMP Program Manager, Law Enforcement Support Program, California State Department of Justice.

The authors would like to thank *Jeffery Wilkins*, MD, DFAPA, FASAM, LINC, for sharing his clinical examples of CURES utilization and for his review of this article. He is the Andy Heyward/Amy Moynihan Chair in Addiction Medicine in the Department of Psychiatry at Cedars-Sinai Medical Center, Director of the American Board of Addiction Medicine/American Society of Addiction Medicine, and Clinical Professor, Department of Psychiatry and Biobehavioral Sciences, UCLA. Thanks also to the Substance Abuse Prevention and Control Program's *Kairong Wang*, PhD, Research Analyst, for her additional data analysis support and *Benedict Lee*, PhD, Director, Epidemiology and Science Division, for his review.

## CURES/PDMP Frequently Asked Questions

### Who can access CURES/PDMP?

Practitioners eligible to prescribe controlled substances, pharmacists authorized to dispense controlled substances, sworn law enforcement personnel, and authorized regulatory boards.

### What do I do if a patient expresses concern regarding the information obtained from CURES/PDMP?

Do not provide a copy of the Patient Activity Report (PAR) to the patient. You may refer the patient to the CURES/PDMP public number: (916) 227-3843.

### Can I share my CURES/PDMP login and password?

No. The patient information contained in the PDMP is confidential information protected by federal and state law. The PDMP login and password may not be shared with anyone.

### What do I do if I find out my patient is obtaining multiple prescriptions from various practitioners?

Work with your patient to help him/her get the support he/she needs. Refer to the Medical Board of California's "Guidelines for Prescribing Controlled Substances for Pain" at [http://www.mbc.ca.gov/Licensees/Prescribing/Pain\\_Guidelines.aspx](http://www.mbc.ca.gov/Licensees/Prescribing/Pain_Guidelines.aspx). You may also wish to contact and alert other practitioners or pharmacists listed in the PAR and/or refer your patient to addiction treatment: [www.findtreatment.samhsa.gov](http://www.findtreatment.samhsa.gov) or 1-800-662-HELP.

### What do I do if I suspect that my patient is diverting his/her prescriptions for profit?

If you believe that your patient is acting criminally, you should report the circumstances to your local police or sheriff department or the Drug Enforcement Agency office in your area. If you believe that your patient is seeking the drugs due to addiction, you should be prepared to intervene and get him/her the help he/she needs, as described in the question above.

## REFERENCES

1. Adler, J.A. (2012). Get registered with the CURES program. The California Academy of Physician Assistants (CAPA) NEWS. Available at: <http://www.capanet.org/uploadedFiles/Content/Conferences/GetRegisteredwiththeCURESProgram.pdf>.
2. Substance Abuse and Mental Health Services Administration (SAMHSA). (2013). The NSDUH report: nonmedical use of prescription-type drugs, by county type. Available at: <http://www.samhsa.gov/data/2k13/NSDUH098/sr098-UrbanRuralRxMisuse.htm>.
3. Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2013). Monitoring the Future national results on drug use: 2012 overview, key findings on adolescent drug use. Available at: <http://www.monitoringthefuture.org/pubs/monographs/mtf-overview2012.pdf>; <http://www.drugabuse.gov/monitoring-future-survey-overview-findings-2013>.
4. Jones, C.M., Mack, K.A., & Paulozzi, L.J. (2013). Pharmaceutical overdose deaths, United States. *JAMA*, 309(7):657-659.
5. Injury and Violence Prevention Program, Los Angeles County Department of Public Health. (2011). Drug-related deaths in Los Angeles County, 2000-2009. Available at: [http://www.publichealth.lacounty.gov/ivpp/pdf\\_reports/reports\\_home.htm](http://www.publichealth.lacounty.gov/ivpp/pdf_reports/reports_home.htm).
6. Finklea, K.M., Bagalman, E., Sacco, L.N. (2013). Congressional Research Service report on prescription drug monitoring programs. Available at: <http://www.fas.org/sgp/crs/misc/R42593.pdf>.
7. Substance Abuse and Mental Health Services Administration (SAMHSA). (2013). Cooperative agreements for electronic health record (EHR) and prescription drug monitoring program (PDMP) data integration. Available at: <http://www.samhsa.gov/grants/2013/ti-13-013.aspx>.
8. Allain, M. (2013). The current state of prescription drug monitoring programs. Available at: <http://injurycenter.umich.edu/sites/default/files/presentation-pdfs/Link%20to%20Marty%20Allain%27s%20Presentation.pdf>.
9. Office of the Attorney General, State of California Department of Justice. (2014). CURES/PDMP. Available at: <http://oag.ca.gov/cures-pdmp>.
10. Katz, N., Panas, L., Kim, M., et al. (2010). Usefulness of prescription monitoring programs for surveillance – analysis of Schedule II opioid prescription data in Massachusetts, 1996-2006. *Pharmacoepidemiology and Drug Safety*, 19, 115-123.
11. Worley, J. (2012). Prescription drug monitoring programs, a response to doctor shopping: purpose, effectiveness, and directions for future research. *Issues in Mental Health Nursing*, 33, 319-328.
12. De Saulnier & Steinberg. (2013). Senate Bill No. 809. Available at: [http://leginfo.ca.gov/pub/13-14/bill/sen/sb\\_0801-0850/sb\\_809\\_cfa\\_20130411\\_143005\\_sen\\_comm.html](http://leginfo.ca.gov/pub/13-14/bill/sen/sb_0801-0850/sb_809_cfa_20130411_143005_sen_comm.html).

*Rx for Prevention* is published 10 times a year by the Los Angeles County Department of Public Health. If you would like to receive this newsletter by e-mail, go to [www.publichealth.lacounty.gov](http://www.publichealth.lacounty.gov) and subscribe to the ListServ for *Rx for Prevention*.

# Rx for Prevention

Promoting health through prevention in Los Angeles County

## Upcoming Training

### Immunization Training: 2014 Adult Immunization Schedule

The Los Angeles County Department of Public Health Immunization Program, is offering a 2-hour CEU training titled "2014 Adult Immunization Schedule" and no charge to providers. Topics include adult immunization schedule updates and recommendations for vaccinating medically high-risk adults and health care personnel.

To register or learn more about other trainings sponsored by the Immunization Program, visit [www.publichealth.lacounty.gov/ip/trainconf.htm](http://www.publichealth.lacounty.gov/ip/trainconf.htm) or call (213) 351-7800.

### LOS ANGELES COUNTY BOARD OF SUPERVISORS

Gloria Molina, First District  
Mark Ridley-Thomas, Second District  
Zev Yaroslavsky, Third District  
Don Knabe, Fourth District  
Michael D. Antonovich, Fifth District

### DEPARTMENT OF PUBLIC HEALTH

Jonathan E. Fielding, MD, MPH  
Director and Health Officer

Cynthia A. Harding, MPH  
Chief Deputy Director

Jeffrey D. Gunzenhauser, MD, MPH  
Medical Director

Steven Teutsch, MD, MPH  
Chief Science Officer

### EDITORS IN CHIEF

Jeffrey D. Gunzenhauser, MD, MPH  
[jgunzenhauser@ph.lacounty.gov](mailto:jgunzenhauser@ph.lacounty.gov)

Steven Teutsch, MD, MPH  
[steutsch@ph.lacounty.gov](mailto:steutsch@ph.lacounty.gov)

### MEDICAL COMMUNITY ADVISER

Thomas Horowitz, DO

### EDITORIAL BOARD

Melanie Barr, RN, MSN  
Stephanie Caldwell, MPH  
Kevin Donovan, MPH  
Julia Heinzerling, MPH  
Christina Jackson, MPH  
Anna Long, PhD, MPH  
Paula Miller, MPH, CHES  
Sadina Reynaldo, PhD  
Carrie Tayour, MPH  
Rachel A. Ytree, MPH

Summer Nagano, Managing Editor

Alan Albert & Kathleen Pittman, Graphic Designers  
Maria Ojeda, Administration

**Comments or Suggestions?** If so, or if you would like to suggest a topic for a future issue, e-mail Dr. Jeffrey Gunzenhauser, co-editor, at [jgunzenhauser@ph.lacounty.gov](mailto:jgunzenhauser@ph.lacounty.gov).



Office of the Medical Director  
241 N. Figueroa St., Suite 275  
Los Angeles, CA 90012

PRESORTED  
STANDARD  
U.S. POSTAGE  
**PAID**  
PERMIT NO. 312  
ARCADIA, CA

## Index of Disease Reporting Forms

All case reporting forms from the LA County Department of Public Health are available by telephone or Internet.

### Reportable Diseases & Conditions

**Confidential Morbidity Report**  
Morbidity Unit (888) 397-3993  
Acute Communicable Disease Control  
(213) 240-7941  
[www.publichealth.lacounty.gov/acd/reports/CMR-H-794.pdf](http://www.publichealth.lacounty.gov/acd/reports/CMR-H-794.pdf)

### Sexually Transmitted Disease

**Confidential Morbidity Report**  
(213) 744-3070  
[www.publichealth.lacounty.gov/dhsp/ReportCase.htm](http://www.publichealth.lacounty.gov/dhsp/ReportCase.htm) (web page)  
[www.publichealth.lacounty.gov/dhsp/ReportCase/STD\\_CMCR.pdf](http://www.publichealth.lacounty.gov/dhsp/ReportCase/STD_CMCR.pdf) (form)

### Adult HIV/AIDS Case Report Form

For patients over 13 years of age at time of diagnosis  
Division of HIV and STD Programs  
(213) 351-8196  
[www.publichealth.lacounty.gov/dhsp/ReportCase.htm](http://www.publichealth.lacounty.gov/dhsp/ReportCase.htm)

### Pediatric HIV/AIDS Case Report Form

For patients less than 13 years of age at time of diagnosis

### Pediatric AIDS Surveillance Program

(213) 351-8153  
*Must first call program before reporting*  
[www.publichealth.lacounty.gov/dhsp/ReportCase.htm](http://www.publichealth.lacounty.gov/dhsp/ReportCase.htm)

### Tuberculosis Suspects & Cases

**Confidential Morbidity Report**  
Tuberculosis Control (213) 745-0800  
[www.publichealth.lacounty.gov/tb/forms/cmcr.pdf](http://www.publichealth.lacounty.gov/tb/forms/cmcr.pdf)

### Lead Reporting

No reporting form. Reports are taken over the phone.  
Lead Program (323) 869-7195

### Animal Bite Report Form

Veterinary Public Health (877) 747-2243  
[www.publichealth.lacounty.gov/vet/biteintro.htm](http://www.publichealth.lacounty.gov/vet/biteintro.htm)

### Animal Diseases and Syndrome Report Form

Veterinary Public Health (877) 747-2243  
[www.publichealth.lacounty.gov/vet/disintro.htm](http://www.publichealth.lacounty.gov/vet/disintro.htm)

Use of trade names and commercial sources in *Rx for Prevention* is for identification only and does not imply endorsement by the Los Angeles County Department of Public Health (LACDPH). References to non-LACDPH sites on the Internet are provided as a service to *Rx for Prevention* readers and do not constitute or imply endorsement of these organizations or their programs by LACDPH. The Los Angeles County Department of Public Health is not responsible for the content of these sites. URL addresses listed in *Rx for Prevention* were current as of the date of publication.